

Amoha Vape (Soothe)

Sample ID: SA-231020-28757
 Batch: AMHC1023
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

Received: 10/24/2023
 Completed: 11/04/2023

Client

Proendo Wholesale Ireland
 Unit 4 1st Floor, 84 Strand St
 Skerries, Dublin K34 VW93
 Ireland



Summary

Test
 Cannabinoids
 Terpenes

Date Tested

11/04/2023
 10/27/2023

Status

Tested
 Tested

ND	46.1 %	95.4 %	Not Tested	Not Tested	Yes
Total Δ9-THC	(6aR,9R,10aR)-HHC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	26.0	260
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	0.273	2.72
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.259	2.59
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	0.287	2.87
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	46.1	461
(6aR,9S,10aR)-HHC	0.0067	0.02	19.2	192
9R-HHCP	0.0067	0.02	3.01	30.1
9S-HHCP	0.0067	0.02	0.292	2.92
Total Δ9-THC			ND	ND
Total			95.4	954

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



Generated By: Ryan Bellone
 CCO
 Date: 11/04/2023



Tested By: Scott Caudill
 Laboratory Manager
 Date: 11/04/2023



ISO/IEC 17025:2017 Accredited
 Accreditation #108651



Amoha Vape (Soothe)

Sample ID: SA-231020-28757
 Batch: AMHC1023
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

Received: 10/24/2023
 Completed: 11/04/2023

Client

Proendo Wholesale Ireland
 Unit 4 1st Floor, 84 Strand St
 Skerries, Dublin K34 VW93
 Ireland

Terpenes by GC-MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Analyte	LOD (%)	LOQ (%)	Result (%)
α-Bisabolol	0.002	0.01	0.213	Limonene	0.002	0.01	0.543
(+)-Borneol	0.002	0.01	ND	Linalool	0.002	0.01	0.181
Camphene	0.002	0.01	0.0201	β-myrcene	0.002	0.01	0.317
Camphor	0.004	0.02	ND	Nerol	0.002	0.01	ND
3-Carene	0.002	0.01	0.0113	cis-Nerolidol	0.002	0.01	ND
β-Caryophyllene	0.002	0.01	0.652	trans-Nerolidol	0.002	0.01	<LOQ
Caryophyllene Oxide	0.002	0.01	0.0274	Ocimene	0.002	0.01	0.037
α-Cedrene	0.002	0.01	ND	α-Phellandrene	0.002	0.01	0.105
Cedrol	0.002	0.01	ND	α-Pinene	0.002	0.01	0.217
Eucalyptol	0.002	0.01	<LOQ	β-Pinene	0.002	0.01	0.182
Fenchone	0.004	0.02	ND	Pulegone	0.002	0.01	ND
Fenchyl Alcohol	0.002	0.01	0.0396	Sabinene	0.002	0.01	<LOQ
Geraniol	0.002	0.01	0.0222	Sabinene Hydrate	0.002	0.01	ND
Geranyl Acetate	0.002	0.01	0.0121	α-Terpinene	0.002	0.01	ND
Guaiol	0.002	0.01	ND	γ-Terpinene	0.002	0.01	<LOQ
Hexahydrothymol	0.002	0.01	<LOQ	α-Terpineol	0.001	0.005	0.0461
α-Humulene	0.002	0.01	0.132	γ-Terpineol	0.001	0.005	0.00653
Isoborneol	0.002	0.01	ND	Terpinolene	0.002	0.01	0.105
Isopulegol	0.002	0.01	ND	Valencene	0.002	0.01	ND
				Total Terpenes (%)			2.89

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Pepper



Hops



Clove



Citrus



Fruity

Generated By: Ryan Bellone
 CCO
 Date: 11/04/2023

Tested By: Jasper van Heemst
 Principal Scientist
 Date: 10/27/2023



Amoha Vape (AMHC1023)

Sample ID: SA-231020-28760
 Batch: AMHC1023
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

Received: 10/23/2023
 Completed: 10/26/2023

Client
 Proendo Wholesale Ireland
 Unit 4 1st Floor, 84 Strand St
 Skerries, Dublin K34 VW93
 Ireland



Summary

Test	Date Tested	Status
Heavy Metals	10/25/2023	Passed
Microbials	10/26/2023	Passed
Mycotoxins	10/25/2023	Passed
Pesticides	10/25/2023	Passed
Residual Solvents	10/25/2023	Passed

Not Tested Total Δ9-THC	Not Tested Total CBD	Not Tested Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
-----------------------------------	--------------------------------	---	---------------------------------------	-------------------------------------	---

Heavy Metals by ICP-MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
Arsenic	2	20	ND	P
Cadmium	1	20	ND	P
Lead	2	20	<LOQ	P
Mercury	12	50	ND	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone
 CCO
 Date: 11/10/2023



Tested By: Chris Farman
 Scientist
 Date: 10/25/2023



Amoha Vape (AMHC1023)

Sample ID: SA-231020-28760
 Batch: AMHC1023
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

Received: 10/23/2023
 Completed: 10/26/2023

Client

Proendo Wholesale Ireland
 Unit 4 1st Floor, 84 Strand St
 Skerries, Dublin K34 VW93
 Ireland

Pesticides by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
Acephate	30	100	ND	P	Hexythiazox	30	100	ND	P
Acetamiprid	30	100	ND	P	Imazalil	30	100	ND	P
Aldicarb	30	100	ND	P	Imidacloprid	30	100	ND	P
Azoxystrobin	30	100	ND	P	Kresoxim methyl	30	100	ND	P
Bifenazate	30	100	ND	P	Malathion	30	100	ND	P
Bifenthrin	30	100	ND	P	Metalaxyl	30	100	ND	P
Boscalid	30	100	ND	P	Methiocarb	30	100	ND	P
Carbaryl	30	100	ND	P	Methomyl	30	100	ND	P
Carbofuran	30	100	ND	P	Mevinphos	30	100	ND	P
Chloranthraniliprole	30	100	ND	P	Myclobutanil	30	100	ND	P
Chlorfenapyr	30	100	ND	P	Naled	30	100	ND	P
Chlorpyrifos	30	100	ND	P	Oxamyl	30	100	ND	P
Clofentezine	30	100	ND	P	Paclobutrazol	30	100	ND	P
Coumaphos	30	100	ND	P	Permethrin	30	100	ND	P
Daminozide	30	100	ND	P	Phosmet	30	100	ND	P
Diazinon	30	100	ND	P	Piperonyl Butoxide	30	100	ND	P
Dichlorvos	30	100	ND	P	Prallethrin	30	100	ND	P
Dimethoate	30	100	ND	P	Propiconazole	30	100	ND	P
Dimethomorph	30	100	ND	P	Propoxur	30	100	ND	P
Ethoprophos	30	100	ND	P	Pyrethrins	30	100	ND	P
Etofenprox	30	100	ND	P	Pyridaben	30	100	ND	P
Etazoxole	30	100	ND	P	Spinetoram	30	100	ND	P
Fenhexamid	30	100	ND	P	Spinosad	30	100	ND	P
Fenoxycarb	30	100	ND	P	Spiromesifen	30	100	ND	P
Fenpyroximate	30	100	ND	P	Spirotetramat	30	100	ND	P
Fipronil	30	100	ND	P	Spiroxamine	30	100	ND	P
Flonicamid	30	100	ND	P	Tebuconazole	30	100	ND	P
Fludioxonil	30	100	ND	P	Thiacloprid	30	100	ND	P
					Thiamethoxam	30	100	ND	P
					Trifloxystrobin	30	100	ND	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone
 CCO
 Date: 11/10/2023



Tested By: Jasper van Heemst
 Principal Scientist
 Date: 10/25/2023





KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

3 of 6

Amoha Vape (AMHC1023)

Sample ID: SA-231020-28760
Batch: AMHC1023
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 10/23/2023
Completed: 10/26/2023

Client

Proendo Wholesale Ireland
Unit 4 1st Floor, 84 Strand St
Skerries, Dublin K34 VW93
Ireland

Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
B1	1	5	ND	P
B2	1	5	ND	P
G1	1	5	ND	P
G2	1	5	ND	P
Ochratoxin A	1	5	ND	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO
Date: 11/10/2023

Tested By: Jasper van Heemst
Principal Scientist
Date: 10/25/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

4 of 6

Amoha Vape (AMHC1023)

Sample ID: SA-231020-28760
Batch: AMHC1023
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 10/23/2023
Completed: 10/26/2023

Client
Proendo Wholesale Ireland
Unit 4 1st Floor, 84 Strand St
Skerries, Dublin K34 VW93
Ireland

Microbials by PCR and Plating

Analyte	LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)	P/F
Total aerobic count	10	ND		P
Total coliforms	10	ND		P
Generic E. coli	10	ND		P
Salmonella spp.	1		Not Detected per 1 gram	P
Shiga-toxin producing E. coli (STEC)	1		Not Detected per 1 gram	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO
Date: 11/10/2023

Tested By: Matt Zachman
Laboratory Technician
Date: 10/26/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

Amoha Vape (AMHC1023)

Sample ID: SA-231020-28760
 Batch: AMHC1023
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

Received: 10/23/2023
 Completed: 10/26/2023

Client

Proendo Wholesale Ireland
 Unit 4 1st Floor, 84 Strand St
 Skerries, Dublin K34 VW93
 Ireland

Residual Solvents by HS-GC-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F
Acetone	167	500	ND	P	Ethylene Oxide	0.5	1	ND	P
Acetonitrile	14	41	ND	P	Heptane	167	500	ND	P
Benzene	0.5	1	ND	P	n-Hexane	10	29	ND	P
Butane	167	500	ND	P	Isobutane	167	500	ND	P
1-Butanol	167	500	ND	P	Isopropyl Acetate	167	500	ND	P
2-Butanol	167	500	ND	P	Isopropyl Alcohol	167	500	ND	P
2-Butanone	167	500	ND	P	Isopropylbenzene	167	500	ND	P
Chloroform	2	6	ND	P	Methanol	100	300	ND	P
Cyclohexane	129	388	ND	P	2-Methylbutane	10	29	ND	P
1,2-Dichloroethane	0.5	1	ND	P	Methylene Chloride	20	60	ND	P
1,2-Dimethoxyethane	4	10	ND	P	2-Methylpentane	10	29	ND	P
Dimethyl Sulfoxide	167	500	ND	P	3-Methylpentane	10	29	ND	P
N,N-Dimethylacetamide	37	109	ND	P	n-Pentane	167	500	ND	P
2,2-Dimethylbutane	10	29	ND	P	1-Pentanol	167	500	ND	P
2,3-Dimethylbutane	10	29	ND	P	n-Propane	167	500	ND	P
N,N-Dimethylformamide	30	88	ND	P	1-Propanol	167	500	ND	P
2,2-Dimethylpropane	167	500	ND	P	Pyridine	7	20	ND	P
1,4-Dioxane	13	38	ND	P	Tetrahydrofuran	24	72	ND	P
Ethanol	167	500	ND	P	Toluene	30	89	ND	P
2-Ethoxyethanol	6	16	ND	P	Trichloroethylene	3	8	ND	P
Ethyl Acetate	167	500	ND	P	Xylenes (o-, m-, and p-)	73	217	ND	P
Ethyl Ether	167	500	ND	P					
Ethylbenzene	3	7	ND	P					

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone
 CCO
 Date: 11/10/2023



Tested By: Kelsey Rogers
 Scientist
 Date: 10/25/2023



Amoha Vape (AMHC1023)

Sample ID: SA-231020-28760
 Batch: AMHC1023
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

Received: 10/23/2023
 Completed: 10/26/2023

Client

Proendo Wholesale Ireland
 Unit 4 1st Floor, 84 Strand St
 Skerries, Dublin K34 VW93
 Ireland

Reporting Limit Appendix

Heavy Metals - Colorado CDPHE

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Arsenic	1500	Lead	500
Cadmium	500	Mercury	1500

Microbials -

Analyte	Limit (CFU/g)	Analyte	Limit (CFU/g)
Total coliforms	100	Total aerobic count	10000

Residual Solvents - USP 467

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Acetone	5000	Ethylene Oxide	1
Acetonitrile	410	Heptane	5000
Benzene	2	n-Hexane	290
Butane	5000	Isobutane	5000
1-Butanol	5000	Isopropyl Acetate	5000
2-Butanol	5000	Isopropyl Alcohol	5000
2-Butanone	5000	Isopropylbenzene	5000
Chloroform	60	Methanol	3000
Cyclohexane	3880	2-Methylbutane	290
1,2-Dichloroethane	5	Methylene Chloride	600
1,2-Dimethoxyethane	100	2-Methylpentane	290
Dimethyl Sulfoxide	5000	3-Methylpentane	290
N,N-Dimethylacetamide	1090	n-Pentane	5000
2,2-Dimethylbutane	290	1-Pentanol	5000
2,3-Dimethylbutane	290	n-Propane	5000
N,N-Dimethylformamide	880	1-Propanol	5000
2,2-Dimethylpropane	5000	Pyridine	200
1,4-Dioxane	380	Tetrahydrofuran	720
Ethanol	5000	Toluene	890
2-Ethoxyethanol	160	Trichloroethylene	80
Ethyl Acetate	5000	Xylenes (o-, m-, and p-)	2170
Ethyl Ether	5000		
Ethylbenzene	70		

Pesticides - CA DCC

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Aldicarb	30	Imidacloprid	3000
Azoxystrobin	40000	Kresoxim methyl	1000
Bifenazate	5000	Malathion	5000
Bifenthrin	500	Metalaxyl	15000
Boscalid	10000	Methiocarb	30
Carbaryl	500	Methomyl	100
Carbofuran	30	Mevinphos	30
Chloranthraniliprole	40000	Myclobutanil	9000
Chlorfenapyr	30	Naled	500
Chlorpyrifos	30	Oxamyl	200
Clofentezine	500	Pacllobutrazol	30
Coumaphos	30	Permethrin	20000
Daminozide	30	Phosmet	200
Diazinon	200	Piperonyl Butoxide	8000
Dichlorvos	30	Prallethrin	400
Dimethoate	30	Propiconazole	20000
Dimethomorph	20000	Propoxur	30
Ethoprophos	30	Pyrethrins	1000
Etofenprox	30	Pyridaben	3000
Etoxazole	1500	Spinetoram	3000
Fenhexamid	10000	Spinosad	3000
Fenoxycarb	30	Spiromesifen	12000
Fenpyroximate	2000	Spirotetramat	13000
Fipronil	30	Spiroxamine	30
Fonicamid	2000	Tebuconazole	2000
Fludioxonil	30000	Thiacloprid	30

Mycotoxins - Colorado CDPHE

Analyte	Limit (ppm)	Analyte	Limit (ppm)
B1	5	B2	5
G1	5	G2	5
Ochratoxin A	5		

Pesticides - CA DCC

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Acephate	5000	Hexythiazox	2000
Acetamiprid	5000	Imazalil	30

