

**Amoha Vape (Stimulate)**

Sample ID: SA-231020-28758

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/24/2023

Completed: 11/04/2023

**Client**

Proendo Wholesale Ireland  
Unit 4 1st Floor, 84 Strand St  
Skerries, Dublin K34 VW93  
Ireland

**Summary**

Test  
Cannabinoids  
Terpenes

Date Tested  
11/04/2023  
10/27/2023

Status  
Tested  
Tested

ND

61.0 %

89.8 %

Not Tested

Not Tested

Yes

Total Δ9-THC

(6aR,9R,10aR)-HHC

Total Cannabinoids

Moisture Content


Foreign Matter

Internal Standard  
Normalization


**Cannabinoids by HPLC-PDA and/or GC-MS/MS**

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.250	2.50
CBN acetate	0.0067	0.02	0.846	8.46
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ8-THC acetate	0.0067	0.02	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THC acetate	0.0067	0.02	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	61.0	610
(6aR,9S,10aR)-HHC	0.0067	0.02	21.2	212
(6aR,9R,10aR)-HHC acetate	0.0067	0.02	4.71	47.1
(6aR,9S,10aR)-HHC acetate	0.0067	0.02	1.68	16.8
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>89.8</b>	<b>898</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA



Generated By: Ryan Bellone  
CCO  
Date: 11/04/2023


Tested By: Scott Caudill  
Laboratory Manager  
Date: 11/04/2023

ISO/IEC 17025:2017 Accredited  
Accreditation #108651


DA \* 0.877 + CBD;



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

## Amoha Vape (Stimulate)

Sample ID: SA-231020-28758

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/24/2023

Completed: 11/04/2023

### Client

Proendo Wholesale Ireland  
Unit 4 1st Floor, 84 Strand St  
Skerries, Dublin K34 VW93  
Ireland



Ryan Bellone

Generated By: Ryan Bellone

CCO

Date: 11/04/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



**Amoha Vape (Stimulate)**

Sample ID: SA-231020-28758

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/24/2023

Completed: 11/04/2023

**Client**

 Proendo Wholesale Ireland  
 Unit 4 1st Floor, 84 Strand St  
 Skerries, Dublin K34 VW93  
 Ireland

**Terpenes by GC-MS**

Analyte	LOD (%)	LOQ (%)	Result (%)	Analyte	LOD (%)	LOQ (%)	Result (%)
α-Bisabolol	0.002	0.01	0.0143	Limonene	0.002	0.01	0.638
(+)-Borneol	0.002	0.01	ND	Linalool	0.002	0.01	0.0633
Camphene	0.002	0.01	<LOQ	β-myrcene	0.002	0.01	0.324
Camphor	0.004	0.02	ND	Nerol	0.002	0.01	0.0163
3-Carene	0.002	0.01	0.0572	cis-Nerolidol	0.002	0.01	ND
β-Caryophyllene	0.002	0.01	0.363	trans-Nerolidol	0.002	0.01	<LOQ
Caryophyllene Oxide	0.002	0.01	0.112	Ocimene	0.002	0.01	1.06
α-Cedrene	0.002	0.01	ND	α-Phellandrene	0.002	0.01	0.178
Cedrol	0.002	0.01	ND	α-Pinene	0.002	0.01	0.121
Eucalyptol	0.002	0.01	<LOQ	β-Pinene	0.002	0.01	0.143
Fenchone	0.004	0.02	<LOQ	Pulegone	0.002	0.01	ND
Fenchyl Alcohol	0.002	0.01	0.0217	Sabinene	0.002	0.01	<LOQ
Geraniol	0.002	0.01	0.016	Sabinene Hydrate	0.002	0.01	ND
Geranyl Acetate	0.002	0.01	ND	α-Terpinene	0.002	0.01	ND
Guaiol	0.002	0.01	ND	γ-Terpinene	0.002	0.01	<LOQ
Hexahydrothymol	0.002	0.01	<LOQ	α-Terpineol	0.001	0.005	0.032
α-Humulene	0.002	0.01	<LOQ	γ-Terpineol	0.001	0.005	ND
Isoborneol	0.002	0.01	ND	Terpinolene	0.002	0.01	1.0
Isopulegol	0.002	0.01	ND	Valencene	0.002	0.01	ND
<b>Total Terpenes (%)</b>							<b>4.21</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit


 Sweet


 Herbal


 Woody


 Floral


 Citrus


 Generated By: Ryan Bellone  
 CCO  
 Date: 11/04/2023


 Tested By: Jasper van Heemst  
 Principal Scientist  
 Date: 10/27/2023


**Amoha Vape (AMHC1023)**

Sample ID: SA-231020-28760

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/23/2023

Completed: 10/26/2023

**Client**

 Proendo Wholesale Ireland  
 Unit 4 1st Floor, 84 Strand St  
 Skerries, Dublin K34 VW93  
 Ireland

**Summary**
**Test**

 Heavy Metals  
 Microbials  
 Mycotoxins  
 Pesticides  
 Residual Solvents

**Date Tested**

 10/25/2023  
 10/26/2023  
 10/25/2023  
 10/25/2023  
 10/25/2023

**Status**

 Passed  
 Passed  
 Passed  
 Passed  
 Passed

**Not Tested**

Total Δ9-THC

**Not Tested**

Total CBD

**Not Tested**

Total Cannabinoids

**Not Tested**

Moisture Content

**Not Tested**

Foreign Matter

**Yes**

 Internal Standard  
 Normalization

**Heavy Metals by ICP-MS**

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
Arsenic	2	20	ND	P
Cadmium	1	20	ND	P
Lead	2	20	<LOQ	P
Mercury	12	50	ND	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone  
 CCO

Date: 11/10/2023



 Tested By: Chris Farman  
 Scientist

Date: 10/25/2023



**Amoha Vape (AMHC1023)**

Sample ID: SA-231020-28760

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/23/2023

Completed: 10/26/2023

**Client**

 Proendo Wholesale Ireland  
 Unit 4 1st Floor, 84 Strand St  
 Skerries, Dublin K34 VW93  
 Ireland

**Pesticides by LC-MS/MS**

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
Acephate	30	100	ND	P	Hexythiazox	30	100	ND	P
Acetamiprid	30	100	ND	P	Imazalil	30	100	ND	P
Aldicarb	30	100	ND	P	Imidacloprid	30	100	ND	P
Azoxystrobin	30	100	ND	P	Kresoxim methyl	30	100	ND	P
Bifenazate	30	100	ND	P	Malathion	30	100	ND	P
Bifenthrin	30	100	ND	P	Metalaxyl	30	100	ND	P
Boscalid	30	100	ND	P	Methiocarb	30	100	ND	P
Carbaryl	30	100	ND	P	Methomyl	30	100	ND	P
Carbofuran	30	100	ND	P	Mevinphos	30	100	ND	P
Chloranthraniliprole	30	100	ND	P	Myclobutanil	30	100	ND	P
Chlorfenapyr	30	100	ND	P	Naled	30	100	ND	P
Chlorpyrifos	30	100	ND	P	Oxamyl	30	100	ND	P
Clofentezine	30	100	ND	P	Paclobutrazol	30	100	ND	P
Coumaphos	30	100	ND	P	Permethrin	30	100	ND	P
Daminozide	30	100	ND	P	Phosmet	30	100	ND	P
Diazinon	30	100	ND	P	Piperonyl Butoxide	30	100	ND	P
Dichlorvos	30	100	ND	P	Prallethrin	30	100	ND	P
Dimethoate	30	100	ND	P	Propiconazole	30	100	ND	P
Dimethomorph	30	100	ND	P	Propoxur	30	100	ND	P
Ethoprophos	30	100	ND	P	Pyrethrins	30	100	ND	P
Etofenprox	30	100	ND	P	Pyridaben	30	100	ND	P
Etoxazole	30	100	ND	P	Spinetoram	30	100	ND	P
Fenhexamid	30	100	ND	P	Spinosad	30	100	ND	P
Fenoxycarb	30	100	ND	P	Spiromesifen	30	100	ND	P
Fenpyroximate	30	100	ND	P	Spirotetramat	30	100	ND	P
Fipronil	30	100	ND	P	Spiroxamine	30	100	ND	P
Flonicamid	30	100	ND	P	Tebuconazole	30	100	ND	P
Fludioxonil	30	100	ND	P	Thiacloprid	30	100	ND	P
					Thiamethoxam	30	100	ND	P
					Trifloxystrobin	30	100	ND	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

  
 Generated By: Ryan Bellone  
 CCO  
 Date: 11/10/2023

  
 Tested By: Jasper van Heemst  
 Principal Scientist  
 Date: 10/25/2023


**Amoha Vape (AMHC1023)**

Sample ID: SA-231020-28760

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/23/2023

Completed: 10/26/2023

**Client**

 Proendo Wholesale Ireland  
 Unit 4 1st Floor, 84 Strand St  
 Skerries, Dublin K34 VW93  
 Ireland

**Mycotoxins by LC-MS/MS**

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
B1	1	5	ND	P
B2	1	5	ND	P
G1	1	5	ND	P
G2	1	5	ND	P
Ochratoxin A	1	5	ND	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

  
 Generated By: Ryan Bellone  
 CCO  
 Date: 11/10/2023

  
 Tested By: Jasper van Heemst  
 Principal Scientist  
 Date: 10/25/2023


**Amoha Vape (AMHC1023)**

Sample ID: SA-231020-28760

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/23/2023

Completed: 10/26/2023

**Client**

 Proendo Wholesale Ireland  
 Unit 4 1st Floor, 84 Strand St  
 Skerries, Dublin K34 VW93  
 Ireland

**Microbials by PCR and Plating**

Analyte	LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)	P/F
Total aerobic count	10	ND		P
Total coliforms	10	ND		P
Generic E. coli	10	ND		P
Salmonella spp.	1		Not Detected per 1 gram	P
Shiga-toxin producing E. coli (STEC)	1		Not Detected per 1 gram	P

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit


  
 Generated By: Ryan Bellone  
 CCO

Date: 11/10/2023


  
 Tested By: Matt Zachman  
 Laboratory Technician

Date: 10/26/2023



**Amoha Vape (AMHC1023)**

Sample ID: SA-231020-28760

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/23/2023

Completed: 10/26/2023

**Client**

 Proendo Wholesale Ireland  
 Unit 4 1st Floor, 84 Strand St  
 Skerries, Dublin K34 VW93  
 Ireland

**Residual Solvents by HS-GC-MS**

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F
Acetone	167	500	ND	P	Ethylene Oxide	0.5	1	ND	P
Acetonitrile	14	41	ND	P	Heptane	167	500	ND	P
Benzene	0.5	1	ND	P	n-Hexane	10	29	ND	P
Butane	167	500	ND	P	Isobutane	167	500	ND	P
1-Butanol	167	500	ND	P	Isopropyl Acetate	167	500	ND	P
2-Butanol	167	500	ND	P	Isopropyl Alcohol	167	500	ND	P
2-Butanone	167	500	ND	P	Isopropylbenzene	167	500	ND	P
Chloroform	2	6	ND	P	Methanol	100	300	ND	P
Cyclohexane	129	388	ND	P	2-Methylbutane	10	29	ND	P
1,2-Dichloroethane	0.5	1	ND	P	Methylene Chloride	20	60	ND	P
1,2-Dimethoxyethane	4	10	ND	P	2-Methylpentane	10	29	ND	P
Dimethyl Sulfoxide	167	500	ND	P	3-Methylpentane	10	29	ND	P
N,N-Dimethylacetamide	37	109	ND	P	n-Pentane	167	500	ND	P
2,2-Dimethylbutane	10	29	ND	P	1-Pentanol	167	500	ND	P
2,3-Dimethylbutane	10	29	ND	P	n-Propane	167	500	ND	P
N,N-Dimethylformamide	30	88	ND	P	1-Propanol	167	500	ND	P
2,2-Dimethylpropane	167	500	ND	P	Pyridine	7	20	ND	P
1,4-Dioxane	13	38	ND	P	Tetrahydrofuran	24	72	ND	P
Ethanol	167	500	ND	P	Toluene	30	89	ND	P
2-Ethoxyethanol	6	16	ND	P	Trichloroethylene	3	8	ND	P
Ethyl Acetate	167	500	ND	P	Xylenes (o-, m-, and p-)	73	217	ND	P
Ethyl Ether	167	500	ND	P					
Ethylbenzene	3	7	ND	P					

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone  
 CCO  
 Date: 11/10/2023



 Tested By: Kelsey Rogers  
 Scientist  
 Date: 10/25/2023


## Amoha Vape (AMHC1023)

Sample ID: SA-231020-28760

Batch: AMHC1023

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 10/23/2023

Completed: 10/26/2023

**Client**

 Proendo Wholesale Ireland  
 Unit 4 1st Floor, 84 Strand St  
 Skerries, Dublin K34 VW93  
 Ireland

## Reporting Limit Appendix

### Heavy Metals - Colorado CDPHE

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Arsenic	1500	Lead	500
Cadmium	500	Mercury	1500

### Microbials -

Analyte	Limit (CFU/g)	Analyte	Limit (CFU/g)
Total coliforms	100	Total aerobic count	10000

### Residual Solvents - USP 467

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Acetone	5000	Ethylene Oxide	1
Acetonitrile	410	Heptane	5000
Benzene	2	n-Hexane	290
Butane	5000	Isobutane	5000
1-Butanol	5000	Isopropyl Acetate	5000
2-Butanol	5000	Isopropyl Alcohol	5000
2-Butanone	5000	Isopropylbenzene	5000
Chloroform	60	Methanol	3000
Cyclohexane	3880	2-Methylbutane	290
1,2-Dichloroethane	5	Methylene Chloride	600
1,2-Dimethoxyethane	100	2-Methylpentane	290
Dimethyl Sulfoxide	5000	3-Methylpentane	290
N,N-Dimethylacetamide	1090	n-Pentane	5000
2,2-Dimethylbutane	290	1-Pentanol	5000
2,3-Dimethylbutane	290	n-Propane	5000
N,N-Dimethylformamide	880	1-Propanol	5000
2,2-Dimethylpropane	5000	Pyridine	200
1,4-Dioxane	380	Tetrahydrofuran	720
Ethanol	5000	Toluene	890
2-Ethoxyethanol	160	Trichloroethylene	80
Ethyl Acetate	5000	Xylenes (o-, m-, and p-)	2170
Ethyl Ether	5000		
Ethylbenzene	70		

### Pesticides - CA DCC

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Acephate	5000	Hexythiazox	2000
Acetamiprid	5000	Imazalil	30

### Pesticides - CA DCC

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Aldicarb	30	Imidacloprid	3000
Azoxystrobin	40000	Kresoxim methyl	1000
Bifenazate	5000	Malathion	5000
Bifenthrin	500	Metalaxyl	15000
Boscalid	10000	Methiocarb	30
Carbaryl	500	Methomyl	100
Carbofuran	30	Mevinphos	30
Chloranthraniliprole	40000	Myclobutanil	9000
Chlornapapyr	30	Naled	500
Chlorpyrifos	30	Oxamyl	200
Clofentezine	500	Paclobutrazol	30
Coumaphos	30	Permethrin	20000
Daminozide	30	Phosmet	200
Diazinon	200	Piperonyl Butoxide	8000
Dichlorvos	30	Prallethrin	400
Dimethoate	30	Propiconazole	20000
Dimethomorph	20000	Propoxur	30
Ethoprophos	30	Pyrethrins	1000
Etofenprox	30	Pyridaben	3000
Etoxazole	1500	Spinetoram	3000
Fenhexamid	10000	Spinosad	3000
Fenoxy carb	30	Spiromesifen	12000
Fenpyroximate	2000	Spirotetramat	13000
Fipronil	30	Spiroxamine	30
Flonicamid	2000	Tebuconazole	2000
Fludioxonil	30000	Thiacloroprid	30

### Mycotoxins - Colorado CDPHE

Analyte	Limit (ppm)	Analyte	Limit (ppm)
B1	5	B2	5
G1	5	G2	5
Ochratoxin A	5		

